10/759,390

	Hits	Search Text	DBs
1	1049	remote$2 with profil$4 with (data$1base$1 or storage$1 or repositor$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	697	1 and @ad < "20030121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	77	2 and ((suppl$4 or contribut$4 or transfer$4 or transmit$4 or send$4 or provid$4 or deliver$4 or furnish$4) with ((dummy or incorrect or obfuscated or confused or disguised or complicated or false or inaccurate or wrong or erroneous) with (information or data or record$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	74	3 and access$4 and ((suppl$4 or contribut$4 or transfer$4 or transmit$4 or send$4 or provid$4 or deliver$4 or furnish$4) with ((correct$5 or true or updat$4 or accurat$4) with (information or data or record$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	2	4 and ((generat$4 or form$4 or structur$4 or build$4 or creat$4) with updat$4 with (request$4 or inquir$4 or quer$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
6	0	5 and ((generat$4 or form$4 or structur$4 or build$4 or creat$4) with ((dummy or incorrect or obfuscated or confused or disguised or complicated or false or inaccurate or wrong or erroneous) with (information or data or record$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	71	4 and ((generat$4 or form$4 or structur$4 or build$4 or creat$4) with ((dummy or incorrect or obfuscated or confused or disguised or complicated or false or inaccurate or wrong or erroneous) with (information or data or record$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	70	7 and ((generat$4 or form$4 or structur$4 or build$4 or creat$4) with updat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	70	8 and stor$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	70	9 and (local with profil$4 with (data$1base$1 or storage$1 or repositor$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
11	70	10 and ((local and remote) with database$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	0	11 and ((status$2 or state$1) near5 (information or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	70	11 and (status$2 or state$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	70	13 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	0	14 and (proxy adj server$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	0	14 and (proxy with server$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
17	0	14 and proxy and server$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	0	14 and proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	0	19 and (detect$4 with request$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	70	19 and request$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	0	21 and prox$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	171	2 and prox$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
23	39	2 and (prox$5 with server$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	17	24 and ((local and remote) with database$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	17	25 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	8	26 and (detect$4 with request$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	8	28 and (status$2 or state$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	8	29 and (remote$2 with profil$4 with (data$1base$1 or storage$1 or repositor$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
29	0	30 and ((suppl$4 or contribut$4 or transfer$4 or transmit$4 or send$4 or provid$4 or deliver$4 or furnish$4) with ((dummy or incorrect or obfuscated or confused or disguised or complicated or false or inaccurate or wrong or erroneous) with (information or data or record$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	7	30 and access$4 and ((suppl$4 or contribut$4 or transfer$4 or transmit$4 or send$4 or provid$4 or deliver$4 or furnish$4) with ((correct$5 or true or updat$4 or accurat$4) with (information or data or record$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	7	32 and ((generat$4 or form$4 or structur$4 or build$4 or creat$4) with updat$4 with (request$4 or inquir$4 or quer$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	0	34 and ((generat$4 or form$4 or structur$4 or build$4 or creat$4) with ((dummy or incorrect or obfuscated or confused or disguised or complicated or false or inaccurate or wrong or erroneous) with (information or data or record$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	7	33 and ((transmit$4 or transfer$4) with service$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
34	70	14 and server$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	7	19 and profil$4.ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB